



PROVEN PERFORMER

Vended Laundry

SWNBX2SP303NW22 (Top Loading Washer)

Top Loading Washer Features

- 710 RPM spin speed among the highest in the industry
- Curved four-vane agitator delivers an industry-best 210° stroke
- Exclusive stainless steel tub with a lifetime warranty
- Helps protect against pulls, snags or frayed clothes
- Fast cycle times

A proven performer

For more than a century Speed Queen has been focused on laundry, we know what it takes to deliver a machine with long-lasting strength, durability and performance like no other.



EASY
OPERATION




STANDARD STAINLESS
STEEL DRUM




LARGE DOOR
OPENING



LOW ENERGY
CONSUMPTION



ROBUST
DESIGN



SWNBX2SP303NW22

G-Mark G-Mark		SWNBX2SP303NW22
GENERAL DETAILS		
Type		Top Loading Washer
Control		MDC
Control location		Rear
Actuation		Prep for coin
DRUM		
Capacity	[kg]	15
Cylinder volume	[l]	92.3
DRUM SPEED		
G-Force		150
Spin speed rpm	[RPM]	710
MOTOR		
Motor power	[kW]	0.37
CABINET		
Cylinder finish		Stainless
Colour		White
HEATING		
Heat source		n/a
Heating power		n/a
CONNECTION		
Water inlet	["]	0.75
Water pressure	[Bar]	1.4-8.3
Drain	[mm]	Pump Drain 47 mm
OPERATION		
Cycles*		6
Water temperatures		3
Water consumption per cycle**	[l]	108.6
Cycle indicator lights		Yes
POWER		
Electrical requirements	[V/Hz/Phase]	220-240/50/1
TRANSPORT DATA		
Net weight	[kg]	93
Shipping weight	[kg]	99
Dimensions H×W×D	[mm]	1092×651×711
Packing dimensions H×W×D	[mm]	1143×711×762
Volume	[m³]	0.62
AGENCY APPROVALS		
Applicable approvals		No Agency

* Information provided applies to premier control offered by product class.


** Based on DOE test procedure



Dimensions

Top Loading Washer

	A	B	C	D	E	F	G	H	I	J	K	L
SWNBX2SP303NW22	548	1295	1026	711	660	11	914	1092	730	651	775	711



All measurements are in mm.

NOTE: Exhaust openings are 102 mm metal ducting.



